



06701-9383-0  
info@ibs-scherer.de

## Overview

# WAS 20.300, 200 litre drum

**Product number:** 2050551



## Options

### Size

20 L

200 L

1000 L



## Description

### **Applications:**

Optimally matched to all conventional ultrasonic devices and flood cleaning systems. Can also be used in wiping processes.

### **Areas of application:**

- Thorough cleaning of parts and components from production, manufacturing, process technology, engine reconditioning and repair workshops of all kinds
- Oil / filters, pistons, cylinder heads, diesel particulate filters (DPF), diesel injection pumps, injection nozzles, carburettors, radiators
- turbochargers, wheel bearings
- Tool and mould cleaning (blind bores), injection moulds
- Cutlery, precision stainless steel tubes and wire products, screws, bulk goods
- Electrical components, precision tools, machine components

### **Contamination:**

- Burnt-in: heavy coking / carbon deposits oil carbon, soot, graphite, pigments
- Incrustations, resins and waxes, lapping, polishing and abrasive residues
- Bitumen ("earth pitch")
- Metal abrasion / swarf
- Greases, oils, coolants and lubricants, anti-corrosion oils



## Product information

<b>Application concentration:</b>	3-10 %
<b>Colour:</b>	violet
<b>Density:</b>	1.05-1.07 g/cm <sup>3</sup>
<b>Foaming behaviour:</b>	foaming
<b>Labelling:</b>	none
<b>Operating temperature:</b>	25 - 60° C
<b>PH value:</b>	8-9
<b>Size:</b>	200 L
<b>Smell:</b>	Characteristic