



## Overview

# IBS-Special Cleaner RF, 50 L

Product number: 2050056



## Options

### Size

200 L

50 L

25 L



## Description

### Description

This cold cleaner is a petroleum-based hydrocarbon mixture that is suitable for manual cleaning of oil and grease soiling on metal parts and surfaces. It can be used in a brush-wash process, for surface degreasing and in an immersion or wiping process.

### Advantages

- Cold cleaner with moisturising effect
- It evaporates slowly and evenly so that the cleaned parts can be processed quickly.
- The slow evaporation of the cleaning agent also provides temporary rust protection for the workpieces.
- The cold cleaner has a high flash point (> 61 °C), which ensures a high level of safety and occupational safety.
- It is environmentally friendly and cost-efficient as it can be used without heating.
- The cold cleaner is dermatologically safe and has the "Low-emission product" seal of approval from BG ETEM.

### Areas of application

Production and maintenance areas in industry and the manufacturing sector, repair, maintenance and servicing workshops of all kinds (agricultural machinery, construction machinery, rail, industrial trucks, lorry and car workshops as well as in machine and tool construction).

### Further information

- [Cold cleaner](#)
- [IBS disposal circuit](#)
- [Environment and safety](#)
- [Certifications](#)



## Product information

|                            |                                |
|----------------------------|--------------------------------|
| <b>Colour:</b>             | colorless                      |
| <b>Density:</b>            | 0,77 - 0,79 g/cm <sup>3</sup>  |
| <b>Evaporation number:</b> | 550                            |
| <b>Flash point:</b>        | > 61° C                        |
| <b>Labelling:</b>          | GHS08                          |
| <b>PH value:</b>           | Substance is not water soluble |
| <b>Size:</b>               | 50 L                           |
| <b>Smell:</b>              | mild - characteristic          |